

AMENDED

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

FEB 01 1991

Date of filing in State Engineer's Office.....

FEB 27 1991

Returned to applicant for correction.....

APR 26 1991

Corrected application filed.....

APR 26 1991

Map filed.....

The applicant ECO-VISION, INC.3445 Skyline Blvd.

Street and No. or P.O. Box No.

of Reno

City or Town

Nevada 89509

State and Zip Code No.

hereby make S application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Incorporated in Nevada 1990

1. The source of the proposed appropriation is Underground  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 10.00 c.f.s. 7239.66 ac. ft. annually second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Municipal Purposes  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks") See Attachment "A"

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point SE¼ NW¼ Section 24, T.27N., R.47E.,  
Describe as being within a 40-acre subdivision of public

MDM (Unsurveyed); at a point from which the NE Corner of Section 13, T.27N.,  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

R.46E., MDM bears N 75°47'2" W a distance of 29536.0 feet

6. Place of use T33N R52E (Carlin), T32N R45E (Battle Mountain), T36N R38E (Winnemucca),  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

T27N R31E (Lovelock), T20N R24E (Fernley), T15N R20E (Carson City), T21N R18E

T18N R19E, T20N R18E, T18N R20E MDM, T21N R19E MDM, T21N R20E MDM T19N R18E,  
T19N R19E, T19N R20E, T20N R19E, T20N R20E (Reno & Sparks) T34N R55E (Elko) all  
within MDM.

Use Place of Use Map filed under Application 55707

7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled and cased well equipped with motor,  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
pump and pipeline to place of use.  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$150,000.00

four years

10. Estimated time required to construct works.....  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Compared..... bc/ bc

By..... s/Milton Manoukian  
Milton Manoukian  
3445 Skyline Boulevard  
Reno, Nevada 89509

Protested..... See File

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~<sup>deny</sup> the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed on or before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed..... office, this 19th day of June

Certificate No..... Issued..... A.D. 19 95

*R. Michael Turnipseed P.E.*  
State Engineer

## ATTACHMENT "A"

Statistic figures taken from Nevada Department of Census.

<u>City</u>	<u>Current Population</u>	<u>Ten Year Future Population</u>
Elko	14,736.00	20,925.12
Carlin	2,220.00	3,152.40
Battle Mtn.	3,542.00	5,029.64
Winnemucca	6,134.00	8,710.28
Lovelock	2,069.00	2,937.98
Fernley	5,164.00	7,322.88
Wadsworth	640.00	908.80
Carson City	40,443.00	57,429.06
Reno	133,850.00	190,067.00
Sparks	53,367.00	75,781.14